



Apr 17th, 1:15 PM - 2:30 PM

BCHP and its Role in Bacteriochlorophyll Synthesis in *Rhodobacter Capsulatus*

Brian R. Wasik
Illinois Wesleyan University

David W. Bollivar, Faculty Advisor
Illinois Wesleyan University

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>

Wasik, Brian R. and Bollivar, Faculty Advisor, David W., "BCHP and its Role in Bacteriochlorophyll Synthesis in *Rhodobacter Capsulatus*" (2004). *John Wesley Powell Student Research Conference*. 26.

<https://digitalcommons.iwu.edu/jwprc/2004/posters2/26>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation P50

**BCHP AND ITS ROLE IN BACTERIOCHLOROPHYLL SYNTHESIS IN
*RHODOBACTER CAPSULATUS***

Brian R. Wasik and David W. Bollivar*
Department of Biology, Illinois Wesleyan University

Rhodobacter capsulatus is a photosynthetic bacterium. Like most photosynthetic organisms, it can harvest light energy from the sun and convert into chemical energy. This bacterium utilizes bacteriochlorophyll in order to harness the light energy from its environment.

Bacteriochlorophyll biosynthesis involves a complicated series of biochemical reaction that include formation of a tetrapyrrole (a ring structure), the incorporation of a magnesium ion and modifications of the ring.

The goal of the experiments described in this poster is to identify the mechanism of an enzyme involved in making bacteriochlorophyll. This can be accomplished by generating an expression clone of the gene in *E. coli* cells using recombinant DNA methods. The expression clone can be used to make large amounts of the protein encoded by the gene for use in further experiments.

The work presented in this poster reflects the progress to date. The *BchP* gene has been isolated and amplified by Polymerase Chain Reaction. Successful amplification of *BchP* was accomplished and confirmed by agarose gel electrophoresis. The PCR product was isolated and purified.

The PCR product was ligated into a PCR-Script Amp cloning plasmid and was transformed into a competent strain of *E. coli*. The *E. coli* strain was grown and identifiable colonies with insert were isolated and cultured for growth. To date, attempts to identify correct insert of PCR product by agarose gel electrophoresis have produced no conclusive results. Immediate future experiments will focus on accomplishing this task.