

## Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research Conference

2004, 15th Annual JWP Conference

Apr 17th, 9:00 AM - 10:00 AM

## Egg Viablility of Manipulated House Wren (*Troglodytes Aedon*) Nests

Daniel P. Wetzel

Illinois Weslevan University

Nathan D. Lading *Illinois State University* 

Charles F. Thompson *Illinois State University* 

Given Harper, Faculty Advisor Illinois Wesleyan University

Follow this and additional works at: http://digitalcommons.iwu.edu/jwprc

Daniel P. Wetzel; Nathan D. Lading; Charles F. Thompson; and Given Harper, Faculty Advisor, "Egg Viablility of Manipulated House Wren (*Troglodytes Aedon*) Nests" (April 17, 2004). *John Wesley Powell Student Research Conference*. Paper 27.

http://digitalcommons.iwu.edu/jwprc/2004/posters/27

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

## Poster Presentation P51

## EGG VIABILITY OF MANIPULATED HOUSE WREN (TROGLODYTES AEDON) NESTS

<u>Daniel P. Wetzel<sup>1</sup></u>, Nathan D. Lading<sup>2</sup>, and Charles F. Thompson<sup>2</sup> and Given Harper\*

<sup>1</sup> Department of Biology, Illinois Wesleyan University

<sup>2</sup>Department of Biological Sciences, Illinois State University

The effect of extended pre-incubation storage on eggs of asynchronous laying birds has been examined in very few studies. Most studies on egg shelf-life are from commercial poultry egg producers who found that egg viability decreases as the length of unincubated storage increases. Clutch manipulation studies are often conducted, but only a few studies investigate the effects of egg storage and manipulation on hatching success. We tested whether the short-term extension of un-incubated storage and the transfer of eggs to and from storage sites decreased the viability of house wren eggs in a nest manipulation study. There was no significant difference in the proportion of eggs that hatched that had been removed from nests and stored, and eggs that hatched that were not removed from the nest. This finding suggests that both the shelf-life of eggs and the transfer of eggs have no effect on the viability of the house wren eggs in the manipulation experiment. This implies that short-term storage and careful transfer of bird eggs in manipulation experiments will have minimal effect on the hatching success of those eggs.