

Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research Conference

1994, 5th Annual JWP Conference

Apr 23rd, 9:00 AM - 4:00 PM

## Developmental Factors in Visual Search: A Test of the Inhibition Deficit Hypothesis in a Feature Integration Task

Stacy Forbes Illinois Wesleyan University

Johnna Shapiro, Faculty Advisor Illinois Wesleyan University

Follow this and additional works at: https://digitalcommons.iwu.edu/jwprc

Forbes, Stacy and Shapiro, Faculty Advisor, Johnna, "Developmental Factors in Visual Search: A Test of the Inhibition Deficit Hypothesis in a Feature Integration Task" (1994). *John Wesley Powell Student Research Conference*. 19. https://digitalcommons.iwu.edu/jwprc/1994/posters/19

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

## Developmental Factors in Visual Search: A Test of the Inhibition Deficit Hypothesis in a Feature Integration Task

Stacy Forbes and Johnna Shapiro\*, Department of Psychology, IWU.

Many differences in cognitive functioning have been noted between vounger and older adults. One of the most robust findings is that the elderly are more easily distracted by irrelevant information, possibly due to normal degeneration of the frontal lobes. This is known as the inhibition-deficit hypothesis, and may be useful in explaining older adults' deficits in visual search tasks, such as those designed by Treisman. Treisman's Feature Integration Theory suggests that there are two ways to process information: parallel processing, an automatic process that does not require directed attention, and serial processing, which does. Recent studies have suggested that the elderly may be deficient in serial search tasks. This study will attempt to provide evidence for the role of inhibitory processes (and therefore frontal lobe involvement) in serial, but not parallel search. One way to do this is to determine whether frontal lobe development can predict performance on serial search tasks. The frontal lobes of young children are not fully developed, whereas the elderly's frontal lobes are the first to degenerate in old age. Thus, preschool children, college age students, and elderly adults participated in the experiment. Reaction times (RT) were measured during parallel and serial processing tasks. Subjects searched for a single fixed target in one of three display types requiring serial, parallel or both types of searches. It is expected that flat RT slopes will be found for parallel processing trials for all ages, while a bell curve should be found for the serial processing trials. It is therefore predicted that young children's performance on serial search tasks should be the lowest, followed by the elderly, and that young adults should show the best performance on these tasks.