



Apr 17th, 9:00 AM - 10:00 AM

## Egg Viability of Manipulated House Wren (*Troglodytes Aedon*) Nests

Daniel P. Wetzel  
*Illinois Wesleyan University*

Nathan D. Lading  
*Illinois State University*

Charles F. Thompson  
*Illinois State University*

Given Harper, Faculty Advisor  
*Illinois Wesleyan University*

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>

---

Wetzel, Daniel P.; Lading, Nathan D.; Thompson, Charles F.; and Harper, Faculty Advisor, Given, "Egg Viability of Manipulated House Wren (*Troglodytes Aedon*) Nests" (2004). *John Wesley Powell Student Research Conference*. 27.  
<https://digitalcommons.iwu.edu/jwprc/2004/posters/27>

This is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact [digitalcommons@iwu.edu](mailto:digitalcommons@iwu.edu).

©Copyright is owned by the author of this document.

Poster Presentation P51

**EGG VIABILITY OF MANIPULATED HOUSE WREN  
(*TROGLODYTES AEDON*) NESTS**

Daniel P. Wetzel<sup>1</sup>, Nathan D. Lading<sup>2</sup>, and Charles F. Thompson<sup>2</sup>  
and Given Harper\*

<sup>1</sup>Department of Biology, Illinois Wesleyan University

<sup>2</sup>Department of Biological Sciences, Illinois State University

The effect of extended pre-incubation storage on eggs of asynchronous laying birds has been examined in very few studies. Most studies on egg shelf-life are from commercial poultry egg producers who found that egg viability decreases as the length of un-incubated storage increases. Clutch manipulation studies are often conducted, but only a few studies investigate the effects of egg storage and manipulation on hatching success. We tested whether the short-term extension of un-incubated storage and the transfer of eggs to and from storage sites decreased the viability of house wren eggs in a nest manipulation study. There was no significant difference in the proportion of eggs that hatched that had been removed from nests and stored, and eggs that hatched that were not removed from the nest. This finding suggests that both the shelf-life of eggs and the transfer of eggs have no effect on the viability of the house wren eggs in the manipulation experiment. This implies that short-term storage and careful transfer of bird eggs in manipulation experiments will have minimal effect on the hatching success of those eggs.