



**Illinois Wesleyan University**  
**Digital Commons @ IWU**

---

John Wesley Powell Student Research  
Conference

2001, 12th Annual JWP Conference

---

Apr 21st, 10:00 AM - 11:00 AM

## **Magnetic Dot and Anti-Dot Array Fabrication Via Nanosphere Physical Masks**

Brad Andrews  
*Illinois Wesleyan University*

Paul Curran  
*Illinois Wesleyan University*

Gabriel C. Spalding, Faculty Advisor  
*Illinois Wesleyan University*

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>

---

Andrews, Brad; Curran, Paul; and Spalding, Faculty Advisor, Gabriel C., "Magnetic Dot and Anti-Dot Array Fabrication Via Nanosphere Physical Masks" (2001). *John Wesley Powell Student Research Conference*. 15.

<https://digitalcommons.iwu.edu/jwprc/2001/posters/15>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact [digitalcommons@iwu.edu](mailto:digitalcommons@iwu.edu).

©Copyright is owned by the author of this document.

Poster Presentation 1

**MAGNETIC DOT AND ANTI-DOT ARRAY FABRICATION  
VIA NANOSPHERE PHYSICAL MASKS**

Brad Andrews and Paul Curran and Gabriel C. Spalding\*

Department of Physics, Illinois Wesleyan University

We discuss non-lithographic means of controlling the assembly of nanoparticles onto a substrate. Once assembled, the collection of particles serves as a physical mask, selectively protecting areas of the underlying substrate from a reactive plasma or from physical vapor deposition. Because the clear, line-of-sight channels between the masking particles are much smaller than the particles themselves, extremely fine features can be transferred to the substrate. This novel technique for nanopatterning is inexpensive, can work on curved surfaces, and over extremely large areas.

We also discuss the use of our method to produce arrays of magnetic dots on, or arrays of holes in, a superconducting thin film; here, these arrays serve to 'pin' otherwise mobile quantum vortices. Significantly, these 'pinscapes' can be large enough to be in the thermodynamic limit. Moreover, we can tune the degree of disorder in the array of pinning sites, as well as the strength, size, and lattice constant of the pinning centers.

We aim to investigate the collective behaviors that result from the competition between vortex-pinscape interactions and vortex-vortex interactions. Such tailored samples should allow us to explore a variety of phases of vortex matter, as well as the transitions between these phases.