



Apr 21st, 2:00 PM - 3:00 PM

Incursion of Colloid into an Optical Pinscape

Steven A. Sheets, '01
Illinois Wesleyan University

Gabriel C. Spalding, Faculty Advisor
Illinois Wesleyan University

Pamela T. Korda, Faculty Advisor
The University of Chicago

David G. Grier, Faculty Advisor
The University of Chicago

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>

Sheets, '01, Steven A.; Spalding, Faculty Advisor, Gabriel C.; Korda, Faculty Advisor, Pamela T.; and Grier, Faculty Advisor, David G., "Incursion of Colloid into an Optical Pinscape" (2001). *John Wesley Powell Student Research Conference*. 5.
<https://digitalcommons.iwu.edu/jwprc/2001/posters2/5>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation 22

INCURSION OF COLLOID INTO AN OPTICAL PINSCAPE

Steven A. Sheets(1), Gabriel C. Spalding*(1), Pamela T. Korda*(2),
and David G. Grier*(2)

(1)Department of Physics, Illinois Wesleyan University

(2)Dept. of Physics, James Franck Institute, and Institute for Biophysical Dynamics
The University of Chicago

When subjected to an applied external field higher than some critical value, quantum vortices enter a type II superconductor, but spread out due to repulsive vortex-vortex interactions. Others in our lab¹ have recently begun to study the behavior of vortex matter in superconductors that have been patterned so as to contain an array of pinning centers. This patterning introduces a static 'landscape' of potential energy, and a *competition* between vortex-vortex interactions and vortex-*pinscape* interactions. While this problem has important technological implications, it is also an interesting system for the study of collective behaviors in many-body assemblies. Korda and Spalding have performed an experiment that serves as a classical analog of such interactions.

A holographic optical tweezing was used to create an *optical* pinscape for colloidal particles. By initiating a convection roll on the far side of their sample cell, they created an external influence that tends to drive the colloid into the pinscape. Here, we present an analysis of the optical potential and of the evolution of the colloid as it invades the optical pinscape. We also explore the similarities and differences between this experiment and the one involving quantum vortices.

¹Brad Andrews, Paul Curran, Gabriel C. Spalding, "Magnetic Dot and Anti-Dot Array Fabrication via Nanosphere Physical Masks," John Wesley Powell Research Conference, 2001