



Apr 14th, 9:00 AM - 10:00 AM

## Isolation and Concentration of Aqueous Photolysis Products

Kyle Schnitzenbaumer, '07  
*Illinois Wesleyan University*

Timothy Rettich, Faculty Advisor  
*Illinois Wesleyan University*

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>

---

Schnitzenbaumer, '07, Kyle and Rettich, Faculty Advisor, Timothy, "Isolation and Concentration of Aqueous Photolysis Products" (2007). *John Wesley Powell Student Research Conference*. 20.

<https://digitalcommons.iwu.edu/jwprc/2007/posters/20>

This is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact [digitalcommons@iwu.edu](mailto:digitalcommons@iwu.edu).

©Copyright is owned by the author of this document.

Poster Presentation P73

**ISOLATION AND CONCENTRATION OF AQUEOUS PHOTOLYSIS PRODUCTS**

Kyle Schnitzenbaumer and Timothy Rettich\*  
Chemistry Department, Illinois Wesleyan University

The photoactivity of nitrous acid coupled with its abundance in the atmosphere and natural waters make it a key component of photochemistry in the environment. The photolysis of aqueous nitrous acid in the presence of benzene, a radical scavenger, is thought to produce phenol, p-nitrophenol, p-nitrosophenol, and possibly other phenol-related solutes. These products are present at very low concentrations in the photolyzate, making them difficult to detect and quantify. The objective of this research is to develop an analytical procedure that will isolate, concentrate, and quantify such solutes. Solid phase extraction was selected as the most promising technique for isolating and concentrating the solutes, and UV-Vis spectrophotometry was selected for analysis and quantification. Several solutions for pretreatment of the solid were examined for their effectiveness in helping solute adsorption. Several solutions for washing the adsorbed solutes from the solid were also examined. Results to date are quite promising, indicating that, despite a loss of some of the solute, a procedure has been developed that concentrates solutes by several orders of magnitude in a reproducible fashion