



Apr 18th, 9:00 AM - 10:00 AM

Vanadium Substituted Polyoxometalates

Jennifer Bjorklund
Illinois Wesleyan University

Samuel Kim
Illinois Wesleyan University

Rebecca Roesner, Faculty Advisor
Illinois Wesleyan University

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>



Part of the [Chemistry Commons](#)

Bjorklund, Jennifer; Kim, Samuel; and Roesner, Faculty Advisor, Rebecca, "Vanadium Substituted Polyoxometalates" (2015). *John Wesley Powell Student Research Conference*. 4. <https://digitalcommons.iwu.edu/jwprc/2015/posters/4>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation P7

VANADIUM SUBSTITUTED POLYOXOMETALATES

Jennifer Bjorklund, Samuel Kim and Rebecca Roesner*
Chemistry Department, Illinois Wesleyan University

Oxidation reactions are important for many industries, including the bleaching of paper and waste water treatment. Chlorine, sodium hypochlorite, pyridinium chlorochromate and other chromium containing compounds are powerful oxidants, but are harmful to the environment. Green oxidants, such as hydrogen peroxide, often require a catalyst. In such systems, the catalyst is reduced as it oxidizes the substrate and then the catalyst is re-oxidized by hydrogen peroxide. This cyclic reaction, illustrated in Figure 1, has the potential to be repeated numerous times without much waste. The catalysts of interest in this work are polyoxometalates (POMs), which are known to function as oxidation catalysts. The phosphomolybdate ion, $\text{PMo}_{12}\text{O}_{40}^{3-}$, is known to have some catalytic activity; whereas the vanadium substituted phosphomolybdates, $\text{PMo}_{11}\text{V}_1\text{O}_{40}^{4-}$ and $\text{PMo}_{10}\text{V}_2\text{O}_{40}^{5-}$, have higher activities and are the focus of this work. The vanadium substituted POMs were synthesized and characterized and their ability to act as oxidation catalysts was confirmed through the oxidation of benzyl alcohol to benzaldehyde. Current work is focused on immobilizing the POMs on anion exchange resins; the catalytic activity of the resin-bound POMs will be compared to that of the dissolved POMs.




Figure 1. Oxidation-reduction catalytic cycle

