



Illinois Wesleyan University
Digital Commons @ IWU

John Wesley Powell Student Research
Conference

2016, 27th Annual JWP Conference

Apr 16th, 10:00 AM - 11:00 AM

Multidecomposition of Complete Directed Graphs Into Directed Graph Pairs of Order 3 and 4

Jacob Henry
Illinois Wesleyan University

Daniel Roberts, Faculty Advisor
Illinois Wesleyan University

Follow this and additional works at: <https://digitalcommons.iwu.edu/jwprc>



Part of the [Education Commons](#), and the [Mathematics Commons](#)

Henry, Jacob and Roberts, Faculty Advisor, Daniel, "Multidecomposition of Complete Directed Graphs Into Directed Graph Pairs of Order 3 and 4" (2016). *John Wesley Powell Student Research Conference*. 3.

<https://digitalcommons.iwu.edu/jwprc/2016/oralpres5/3>

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Oral Presentation O5.3

**MULTIDECOMPOSITION OF COMPLETE DIRECTED GRAPHS
INTO DIRECTED GRAPH PAIRS OF ORDER 3 AND 4**

Jacob Henry and Daniel Roberts*

Mathematics Department, Illinois Wesleyan University

A complete directed graph is a directed graph in which every vertex has an in and out arc connecting it to every other vertex. Given two directed graphs D and H , a (D,H) multidecomposition of the complete directed graph is a partition of the edges of the complete directed graph into copies of D and G where at least one copy of G and at least one copy of H is used. By finding a decomposition of a complete directed graph we can decompose larger graphs in order to assign them the properties associated with the graphs they decompose into. This paper shows how to decompose graphing pairs of order 3 and order 4 with pairings of sizes 3,9.