

Illinois Wesleyan University Digital Commons @ IWU

John Wesley Powell Student Research Conference

2016, 27th Annual JWP Conference

Apr 16th, 11:00 AM - 12:00 PM

Parallel Infeasibility Analysis

Wenting Zhao Illinois Wesleyan University

Mark Liffiton, Faculty Advisor Illinois Wesleyan University

Follow this and additional works at: https://digitalcommons.iwu.edu/jwprc



Part of the Computer Sciences Commons, and the Education Commons

Zhao, Wenting and Liffiton, Faculty Advisor, Mark, "Parallel Infeasibility Analysis" (2016). John Wesley Powell Student Research Conference. 1. https://digitalcommons.iwu.edu/jwprc/2016/oralpres6/1

This Event is protected by copyright and/or related rights. It has been brought to you by Digital Commons @ IWU with permission from the rights-holder(s). You are free to use this material in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s) directly, unless additional rights are indicated by a Creative Commons license in the record and/ or on the work itself. This material has been accepted for inclusion by faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Oral Presentation O6.1

PARALLEL INFEASIBILITY ANALYSIS

Wenting Zhao and Mark Liffiton*
Computer Science Department, Illinois Wesleyan University

In the field of computer science, the constraint satisfaction problem is a commonly studied problem and has a wide range of applications such as microprocessor design verification and scheduling problems. A constraint system is a set of restrictions, known as constraints, that "restrict" the values can be assigned to those variables. For example, imagine scheduling a meeting with your professor: you are available from 7am to 2pm and your professor is available from 1pm to 4pm. This forms a simple constraint system. However, it is not always possible to satisfy all constraints in a constraint system. For example, if your professor is only available from 3pm-4pm, there is not a time that both of you are free. We then call it an infeasible constraint system. In addition to knowing it is infeasible, it is useful to extract more information. What makes it impossible to satisfy? Where are the issues? How could we fix them? In this work, we have improved on an existing algorithm that performs this type of analysis by parallelizing it, adapting it to run on multiple processors simultaneously. That is, within the same amount of time, we can gain more information by running the parallelization of the previous algorithm on a multi-core machine. Our empirical analysis shows the parallelized algorithm scales well, making efficient use of all cores in a system.