



Apr 25th, 10:30 AM - 4:30 PM

A Possible New Amino Acid Detection Agent: 6H-2,4-Dihydroxyindeno[2,1-g]pteridin-6-one

Niki M. Handlin

Illinois Wesleyan University

Forrest J. Frank, Faculty Advisor

Illinois Wesleyan University

Follow this and additional works at: <http://digitalcommons.iwu.edu/jwprc>


Handlin, Niki M. and Frank, Faculty Advisor, Forrest J., "A Possible New Amino Acid Detection Agent: 6H-2,4-Dihydroxyindeno[2,1-g]pteridin-6-one" (1992). *John Wesley Powell Student Research Conference*. 34. <http://digitalcommons.iwu.edu/jwprc/1992/posters/34>

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.


©Copyright is owned by the author of this document.

**A POSSIBLE NEW AMINO ACID DETECTION AGENT:
6H-2,4-DIHYDROXYINDENO[2,1-g]PTERIDIN-6-ONE**
Niki M. Handlin & Forrest J. Frank*, Illinois Wesleyan University
P.O. Box 2900, Bloomington, Illinois 61702


Ninhydrin (1,2,3-triketohydrindene hydrate) (2) is the most commonly used amino acid detection agent. When ninhydrin reacts with amino acids it results in a purple coloration, but no fluorescence. The focus of this study is to synthesize a pteridine analog of ninhydrin which reacts with amino acids to form fluorescent products. The compound 6H-2,4-Dihydroxyindeno[2,1-g]pteridin-6-one (1) an analog of ninhydrin (2) is being synthesized via the reaction between ninhydrin and 2,4-dihydroxy-5,6-diaminopyrimidine sulfate (3). The Timmis synthesis between 1,3-indandione and 6-amino-2,4-dihydroxy-5-nitrosopyrimidine results in the same compound (1).



(1)



(2)



(3)