



Apr 8th, 9:00 AM - 10:00 AM

Distribution and Color Patterns of Chromatophores in the Grass Shrimp *Palaemonetes* Sp.

Nurman Noor

Illinois Wesleyan University

Elizabeth Balsler, Faculty Advisor

Illinois Wesleyan University

Follow this and additional works at: <http://digitalcommons.iwu.edu/jwprc>

Noor, Nurman and Balsler, Faculty Advisor, Elizabeth, "Distribution and Color Patterns of Chromatophores in the Grass Shrimp *Palaemonetes* Sp." (2006). *John Wesley Powell Student Research Conference*. 28.
<http://digitalcommons.iwu.edu/jwprc/2006/posters/28>

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact digitalcommons@iwu.edu.

©Copyright is owned by the author of this document.

Poster Presentation P59

**DISTRIBUTION AND COLOR PATTERNS OF CHROMATOPHORES IN THE
GRASS SHRIMP PALAEMONETES SP.**

Nurman Noor and Elizabeth Balser*
Biology Department, Illinois Wesleyan University

The ability to change body color to suit the environment is essential for many species as a mechanism to avoid predation. This is achieved in some crustaceans through the expansion and contraction of four different pigments in the chromatophores or pigment-bearing cells in their dermis (Anger, 2001). The coloration in *Palaemonetes* sp. was analyzed by observing both the action and the distribution of chromatophores. Shrimp were cultured in dishes with different background colors, either fully covered or only on the bottom. Individuals were further examined to determine if they expressed visible change after a certain amount of time. Our results show that the distribution of chromatophores was more intense on the anterior region of the body. Additionally, color changes were observed in the shrimp cultured in fully covered dishes, while the shrimp cultured in the dishes that were covered only on the bottom did not express color change. Between the shrimp cultured in different background colors, variety of chromatophoric actions was observed.