



Apr 23rd, 9:00 AM - 4:00 AM

# A Possible Neurological Mechanism for Age-Related Changes in the Formation of Problem-Solving Set

Elizabeth Meinz

*Illinois Wesleyan University*

Johnna K. Shapiro, Faculty Advisor

*Illinois Wesleyan University*

Follow this and additional works at: <http://digitalcommons.iwu.edu/jwprc>

---

Meinz, Elizabeth and Shapiro, Faculty Advisor, Johnna K., "A Possible Neurological Mechanism for Age-Related Changes in the Formation of Problem-Solving Set" (1994). *John Wesley Powell Student Research Conference*. 62.  
<http://digitalcommons.iwu.edu/jwprc/1994/posters/62>

This Event is brought to you for free and open access by The Ames Library, the Andrew W. Mellon Center for Curricular and Faculty Development, the Office of the Provost and the Office of the President. It has been accepted for inclusion in Digital Commons @ IWU by the faculty at Illinois Wesleyan University. For more information, please contact [digitalcommons@iwu.edu](mailto:digitalcommons@iwu.edu).

©Copyright is owned by the author of this document.

A POSSIBLE NEUROLOGICAL MECHANISM FOR AGE-RELATED  
CHANGES IN THE FORMATION OF PROBLEM-SOLVING SET  
Elizabeth Meinz and Johnna K. Shapiro\*, Department of Psychology, IWU

Studies of problem-solving set have shown no significant age differences in correct responses (Ransopher & Thompson, 1991). The current study investigates the effects of age on an anagram solution task designed to induce problem-solving set, with latency of response as the dependent measure. The inhibition-deficit view (Hasher & Zachs, 1988) suggests that elderly subjects may be less susceptible to the effects of problem-solving set. Dempster (1992) suggests that these inhibitory processes are associated with the frontal lobes. Alternatively, the perseverative characteristics seen in frontal lobe patients may suggest that the deterioration of the frontal lobes with age will cause the elderly to be more susceptible to the effects of problem-solving set. Results indicate that undergraduates were more susceptible to problem-solving set than elderly subjects at set sizes of 12 anagrams, but at a size of 15, strength of set is strong enough to affect the elderly as well. These results support a possible neuropsychological role in the formation of problem-solving set.